

Nfina 4408T Server



FEATURES:

- Dual socket rack mountable tower server
- Choice of 5th Generation Intel® Xeon® Scalable Processors
 - Platinum, Gold, and Silver available
 - 3.9GHz to 4.2Ghz processor speeds available
 - Up to 60 cores per processor
- 16 DIMM slots (DDR5 support)
 - Up to 1.5TB capacity
- 8 x 3.5" or 2.5" hot-swap drive bays
 - 4 x SSD/HDD support
 - 4 x NVMe/SSD/HDD support
- 2 x M.2 NVMe PCIe slots
- Redundant hot-swap power supplies
- 1 x 1GbE dedicated management port
- 2 x 10GbE LAN ports

The Nfina 4408T, equipped with 5th Generation Intel® Xeon® Scalable Processors brings fast processing power on a budget.



The 4408T is a rack-mountable tower server well suited for applications where performance and budget are primary considerations. With a choice of 5th Generation Intel® Xeon® Scalable processors, hybrid drives, and 5600MHz memory options, the 4408T can be configured from an entry level server suitable for a small office, to an enterprise HA disaster recovery solution.

Nfina Technologies 4408T Server is a great choice for small to medium businesses, security, hybrid cloud, and disaster recovery applications that require a powerful computing platform in a compact package.

Nfina products deliver exceptional functionality by creating products that are easily customized to fit specific applications. Designed and built for virtualized computing environments, our products provide high density, maximum yield solutions for our customers. Multiple options for high performance computing, including I/O, RAID, storage, and memory options make our products a custom fit for many applications.

All Nfina Technologies' servers are backed by a five-year limited warranty and include 24x7 tech support with remote diagnostics. Next day and four hour onsite response options are available.



**HYPERCONVERGED
SAN STORAGE
HYBRID CLOUD
CLOUD HOSTING
BACKUP & RAPID DR**

nfina

NFINA 4408T


SPECIFICATIONS

| | |
|---------------------------|--|
| Form Factor | Desktop / Tower, 17.8" x 25.5" x 7" |
| Operating Temperature | 10°C to 35°C (50°F to 95°F) |
| Processors | 5th Generation Intel® Xeon® Scalable processors, Up to 60 cores each, 270W max |
| Processor Speed | Up to 3.9GHz to 4.2GHz |
| CPU Cache | 37.5MB |
| Socket | Dual Socket E LGA-4677 |
| Memory | Up to 16 DIMMs, ECC RDIMM, DDR5 5600MHz 1.5TB Max memory capacity |
| External Drives | 8x 3.5" or 2.5" hot-swap drive bays – Supports: 4 x SSD/HDD and 4 x NVMe/SSD/HDD drives |
| Internal Drives | 2 x M.2 NVMe slots, PCIe® 4.0 (22110 or 2280) |
| Optical Drive | 48x CD-RW / 24 x DVD +/-RW (optional) |
| Software RAID | 0/1/5/10 |
| Hardware RAID | Hardware RAID optional |
| Input Voltage | 100-127V @ 7.5A-9A, 50/60 Hz 200-240V @ 5A-6A, 50/60 Hz |
| Power Supplies | Dual hot-swap 1200W AC |
| Remote Management | BMC, IPMI 2.0, KVM over HTML5, and Redfish API |
| TPM | Version 2.0, optional |
| OS Supported | Microsoft® Windows Server® 2019, 2022, Windows Enterprise 10,11, Windows Pro Workstation 10,11, VMware® ESXi™ 7.0u3d, vSphere® 9.0, Nfina-Store™, Red Hat® RHEL 8.6-9.2, SUSE® SLES 15 SP3, Ubuntu 22.04, CentOS™ 8.5, Rocky Linux 8.6, more options available |
| Regulatory Certifications | UL/CSA 62328-1, FCC part 15 (US), FCC (US), CE (Europe), ICES (Canada), UKCA (Great Britain), VCCI (Japan), RCM (Australia), NRTL Nemko (US, Canada), CB (US) |
| Warranty | 5 years |

NFINA 4408T

SPECIFICATIONS

| | |
|-------------|---|
| I/O | 6 x USB 3.0 ports (2 front, 4 rear) 1 x COM Serial port (rear) |
| Display | 1 x VGA ports (rear) |
| Ethernet | 2 x 10GbE LAN (100/1000/10000) standard, other options available 1 x 1GbE (Dedicated management port) included |
| PCIe® Slots | 4 x PCIe® Gen5 x16 FL/FH 2 x PCIe® Gen5 x8 FL/FH |



© 2024 Nfina Technologies, Inc. All rights reserved. Nfina-View™ and Edge-Store™ are trademarks of Nfina Technologies, Inc., Intel® and XEON® are registered trademarks of Intel Corporation. Other trademarks and trade names that may be used in this document are owned by their respective companies. Nfina believes the information in this document is accurate as of its publication date.

Nfina believes the information in this document is accurate as of its publication date. The information is subject to change without notice. The contents of this document are provided as-is, without any express or implied warranties of any kind.

Rev. 09/25



Address: 820 S. University Blvd. Suite 4E, Mobile, AL 36609

Email: sales@nfina.com

Telephone: 251.243.0043

Website: www.nfina.com